# MAGNESIUM CITRATE- be health magnesium citrate oral solution - lemon liquid Bionpharma, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **Be Health Magnesium Citrate Oral Solution - Lemon**

#### **Active Ingredient**

Magnesium citrate 1.745g per fl oz

#### **Purpose**

Saline Laxtive

#### Use

for relief of occasional constipation (irregularity). Generally produces bowel movement in 1/2 to 6 hours

### Warnings

kidney disease a magnesium restricted diet abdorominal pain, nausea, or vomiting noticed a sudden change in bowel habits that persists over a period of 2 weeks already used a laxative for a period longer than 1 week

#### ASK A DOCTOR OR PHARMACIST BEFORE USE IF YOU ARE

taking any other drug.

Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

#### STOP USE AND ASK A DOCTOR IF

you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

#### IF PREGNANT OR BREAST-FEEDING

ask health professional before use.

#### KEEP OUT OF REACH OF CHILDREN.

In case of overdose, get medical help or contact a Poison Control Center right away.

#### Other Information

Store at temperatures between 46° and 86°F (8° and 30° C)

#### **Directions**

shake well before using drink a full glass (8 ounces) of liquid with each dose may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over - 6.5 to 10 fl oz maximum 10 fl oz in 24 hours

children 6 to under 12 years of age - 3 to 7 fl oz maximum 7 fl oz in 24 hours children 2 to under 6 years of age - 2 to 3 fl oz in 24 hours maximum 3 fl oz in 24 hours children under 2 years of age - ask a doctor

#### Other Information

each fl oz contains: magnesium 290 mg

each fl oz contains: sodium 1 mg

### **Inactive Ingredients**

benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

#### Questions?

1-888-235-2466

#### Drug Facts

#### Active ingredient (in each fl oz) Purpose Magnesium citrate 1.745 g ......

Uses: ■ For relief of occasional constipation (irregularity)

■ Generally produces bowel movement in ½ to 6 hours

Warnings: Ask a doctor before use if you have

- Kidney disease a magnesium restricted diet
- Abdominal pain, nausea, or vomiting
- Noticed a sudden change in bowel habits that persists over a period of 2 weeks
- Already used a laxative for a period longer than 1 week

#### Ask a doctor or pharmacist before use if you are

■ Taking any other drug. ■ Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Store at temperatures 46° and 86°F (8° and 30°C) Continued ▶ Be 🏏 Health

NDC 69452-389-98

DYE-FREE • SUGAR-FREE

## Magnesium Citrate

Saline Laxative / Oral Solution Alcohol content 0.025% (from flavoring)



**Lemon Flavor** 10 fl oz (296 mL)

DO NOT USE IF TAMPER-EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECKRING

#### **Drug Facts** (continued)

Directions: ■ shake well before using ■ drink a full glass (8 ounces) of liquid with each dose ■ may be taken as a single daily dose or in divided doses

adults and children 12	6.5 to 10 fl oz maximum
years of age and over	10 fl oz in 24 hours
children 6 to under 12	3 to 7 fl oz maximum
years of age	7 fl oz in 24 hours
children 2 to under 6 years of age	2 to 3 fl oz maximum 3 fl oz in 24 hours
children under 2 years of age	ask a doctor

#### Other Information:

■ each fl oz contains: magnesium 290 mg ■ each fl oz contains: sodium 1 mg

Inactive ingredients: benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

Questions? 1-888-235-2466

Distributed by: Bionpharma Inc., Princeton, NJ 08540

#### **MAGNESIUM CITRATE**

be health magnesium citrate oral solution - lemon liquid

#### **Product Information**

**Product Type HUMAN OTC DRUG** Item Code (Source) NDC:69452-389

**Route of Administration ORAL** 

## **Active Ingredient/Active Moiety**

**Basis of Ingredient Name** Strength Strength MAGNESIUM CITRATE (UNII: RHO2601T9V) (MAGNESIUM CATION -**MAGNESIUM** 1.745 g UNII:T6V3LHY838) **CITRATE** in 29.6 mL

## **Inactive Ingredients**

**Ingredient Name** Strength BENZOIC ACID (UNII: 85KN0B0MIM) WATER (UNII: 059QF0KO0R) CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)

SUCRALOSE (UNII: 96K6UQ3ZD4)

**EDETATE DISODIUM ANHYDROUS** (UNII: 8NLQ36F6MM)

#### **Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69452- 389-98	296 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/27/2022	

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC monograph not final	part334	12/27/2022				

## Labeler - Bionpharma, Inc. (079637826)

Revised: 12/2022 Bionpharma, Inc.